<u> </u>			
	Application No.	Applicant(s)	
Nation of Allowability	09/817,812	DOUCEUR ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Courtney D. Fields	2137	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to 10 August 2005.			
2. The allowed claim(s) is/are 29-36.			
3. \boxtimes The drawings filed on <u>26 March 2001</u> are accepted by the	Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority up a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have			
2. Certified copies of the priority documents have		·	
3. Copies of the certified copies of the priority do	cuments have been received in this	national stage application from the	
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent application (PTO-152) which give			
6. CORRECTED DRAWINGS (as "replacement sheets") must	st be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) including changes required by the attached Examiner Paper No./Mail Date	s Amendment / Comment or in the C	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	I.84(c)) should be written on the drawithe header according to 37 CFR 1.121(ngs in the front (not the back) of [d).	
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	E T NEEL CLC	Detaut Application (DTO 450)	
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Da	ite	
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	08), 7. Examiner's Amendo	ment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance	
of Biological Material	9.		
	,		
		,	

Application/Control Number: 09/817,812 Page 2

Art Unit: 2137

DETAILED ACTION

Response to Amendment

- 1. Claims 1-28 and 37-44 have been cancelled.
- 2. Claims 29-36 are pending.

Specification

3. The Examiner has accepted changes made to the specification.

Response to Arguments

4. Applicant's arguments filed 10 August 2005 have been fully considered and they are persuasive.

Allowable Subject Matter

- 5. Claims 29-36 are allowed.
- The following is an examiner's statement of reasons for allowance: The present invention is directed toward a system for improving the performance of decryption among distributed and serverless file systems by using an encrypted key cache. The independent claim identifies the uniquely distinct features "of using a comparator to check whether one of the plurality of mappings corresponds to a received access control entry that includes an encrypted symmetric key. Based on the comparison if mappings match the received access control entry then decrypt the file using the symmetric key stored in the key cache and if the mappings do not match the received access control entry then first decrypt the encrypted symmetric key with the private key and then decrypt file with the decrypted symmetric key". The closest prior art Etzel et al. (US Patent No. 6,577,734) discloses

Application/Control Number: 09/817,812 Page 3

Art Unit: 2137

a data encryption key management system by preventing external access thereto and ensuring that the keys do not leave an encryption unit in their original form, either singularly or in combination, fail to anticipate or render the above underlined limitations above.

7. Therefore **claim 29** and the respective **dependent claims 30-36** are in condition for allowance.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Courtney D. Fields whose telephone number is 571-272-3871. The examiner can normally be reached on Mon - Thurs. 6:00 - 4:00 pm; off every Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel Moise can be reached on 571-272-3865. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/817,812

Art Unit: 2137

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

cdf

August 15, 2005

MATTHEW SMITHERS
PRIMARY EXAMINER
Art Unit 2/37

Page 4